



SHEET 1 OF 4

| | | | | | | | |
|--|--------------------------|---|----------|--|-----------------------------|--------------------------|---|
| Form PTO 1449 (Modified) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO. 238546US8CIP | | SERIAL NO. 10/645,528 | |
| LIST OF REFERENCES CITED BY APPLICANT | | | | APPLICANT Shunichi MATSUSHITA, et al. | | | |
| | | | | FILING DATE August 22, 2003 | | GROUP 3663 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROPRIATE |
| MAU | AA | 4,616,898 | 10-14-86 | Hicks, Jr. | / | — | |
| | AB | 4,699,452 | 10-13-87 | Mollenauer et al | — | — | |
| | AC | 4,805,977 | 2-21-89 | Tamura et al | — | — | |
| | AD | 4,881,790 | 11-21-89 | Mollenauer | — | — | |
| | AE | 5,883,736 | 3-16-99 | Oshima et al | — | — | |
| | AF | 5,887,093 | 3-23-99 | Hansen et al | — | — | |
| | AG | 6,115,174 | 9-5-00 | Grubb et al | — | — | |
| | AH | 6,292,288 | 9-18-01 | Akasaka et al | — | — | |
| | AI | 6,344,923 | 2-5-02 | Blondel et al | — | — | |
| | AJ | US 2001/0036004 | 11/1/01 | Ackerman et al | — | — | |
| | AK | 6,147,794 | 11-2000 | Stentz | — | — | |
| | AL | 6,356,383 | 3-2003 | Cornwell et al | — | — | |
| | AM | 5,218,652 | 6-8-93 | Lutz | — | — | |
| | AN | 5,563,732 | 10-8-96 | Erdogan et al | — | — | |
| | FOREIGN PATENT DOCUMENTS | | | | | | |
| | | DOCUMENT NUMBER | DATE | COUNTRY | TRANSLATION YES NO | | |
| MAU | AO | EP 1 018 666 A1 | 7/2000 | EUROPE | X | | |
| | AP | 10-73852 | 3/17/98 | JAPAN (with one page English Abstract) | X | | |
| | AQ | 02-012986 | 1/17/90 | JAPAN (with one page English Abstract) | X | | |
| | AR | WO 98/42088 | 9/24/98 | WIPO | X | | |
| | AS | 0 615 356 | 09-1994 | EU | x | | |
| | AT | 0 734 105 a2 | 9-25-96 | EP | | | |
| | AU | 0 877 265 a1 | 11-11-98 | EP | | | |
| AV | | | | | | | |
| OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.) | | | | | | | |
| MAU | AW | Fibre Raman amplifier for 1520 nm band WDM transmission, J. Kani et al., <u>Electronics Letters</u> , 3 rd September 1998, Vo. 34, No. 18, pp. 1745-1747 | | | | | |
| | AX | Broadband Silica Fiber Raman Amplifiers at 1.3 μ m and 1.5 μ m, S.V. Chernikov et al, <u>ECOC '98</u> , 20-24 September 1998, Madrid, Spain, pp. 49-50 | | | | | |
| | AY | Fibre Raman amplifiers for broadband operation at 1.3 μ m, D.V. Gapontsev et al, <u>Optics Communication</u> , 1 August 1999, 166 (1999), pp. 85-88 | | | | | |
| | AZ | A 92nm Bandwidth Raman Amplifier, Karsten Rottwitt et al, <u>OFC98</u> , pp. PD6-1-PD6-4 | | | | | <input checked="" type="checkbox"/> Additional References sheet(s) attached |
| Examiner Mark Heller | | | | | Date Considered 6/8/2005 | | |
| *Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

01 r c
JAN 15 2004
UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|---------------------------------------|--|-----------------------------|------------|
| Form PTO 1449 (Modified) | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO. | SERIAL NO. |
| | | 238546US8CIP | 10/645,528 |
| | | APPLICANT | |
| LIST OF REFERENCES CITED BY APPLICANT | | Shunichi MATSUSHITA, et al. | |
| | | FILING DATE | GROUP |
| | | August 22, 2003 | 3663 |

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|------|----|---|
| 9m9d | BA | Single-Channel to Multi-Channel Upgrade of 10-Gb/s Transmission Systems by Raman Amplification, P.B. Hansen et al., <u>22nd European Conference on Optical Communication – ECOC '96, Oslo</u> , pp. 2.147-2.150. |
| | BC | 1480nm Pumping Laser with Fiber Bragg Grating, Akira Mugino et al., Technical Report of IEICE, <u>The Institute of Electronics, Information and Communication Engineers</u> , pp. 37-42, 1998 |
| | BD | Pump Interactions in a 100-mn Bandwidth Raman Amplifier, Howard Kidof et al, <u>IEEE Photonics Technology Letters</u> , Vol. 11, No. 5, May 1999 |
| | BE | Properties of Fiber Raman Amplifiers and Their Applicability to Digital Optical Communication Systems, Yasuhiro Aoki, <u>Journal of Lightwave Technology</u> , Vol. 6, No. 7, July 1988 |
| | BF | Amplified Spontaneous Raman Scattering in Fiber Raman Amplifiers, Kiyofumi Mochizuki et al., <u>Journal of Lightwave Technology</u> , No. LT-4, No. 9, pp. 1328-1333, September 1986 |
| | BG | Optical Fiber Transmission Systems Using Simulated Raman Scattering, Theory, Kiyofumi Mochizuki, <u>Journal of Lightwave Technology</u> , Vol. LT-3, 3, June 1985, pp. 688-694 |
| | GH | Amplified Spontaneous Raman Scattering and Gain In Fiber Raman Amplifiers, Mark L. Dakss et al., <u>Journal of Lightwave Technology</u> , Vol. LT-3, No. 4, August 1985, pp. 806-813 |
| | BI | Polarization Effects in Fiber Raman and Brillouin Lasers, Rogers H. Stolen, <u>IEEE Journal of Quantum Electronics</u> , Vol., QE-15, No. 10, October 1979, pp. 1157-1160 |
| | BJ | Spontaneous and Stimulated Raman Scattering in Long Low Loss Fibers, John Auyeung et al, <u>IEEE Journal of Quantum Electronics</u> , Vol. QE-14, No. 5, May 1978, pp. 347-352 |
| | BK | Degree of polarization in jointed fibers: the Lyot depolarizer, Kiyofumi Mochizuki, <u>Applied Optics</u> , Vol. 23, No. 19, 1 October 1984, pp. 3284-3288 |
| | BL | Performance of Lyot Depolarizers with Birefringent Single-Mode Fibers, Konrad Bohm et al, <u>Journal of Lightwave Technology</u> , Vo., LT-1, No. 1, March 1983, pp. 71-74 |
| | BM | A, Monochromatic Depolarizer, Bruce H. Billings, <u>Journal of the Optical Society of America</u> , Vol. 41, No. 12, December, 1951, pp. 966-975 |
| | BN | Broadband Raman Amplifier for WDM Transmission, Yoshihiro Emori et al, <u>Fifth Optoelectronics and Communications Conference (OECC 2000) Technical Digest</u> , 10-14 July 2000, pp. 26-27 |
| | BO | Broadband Raman amplifiers design and practice, Shu Namiki et al, <u>Optical Society of America Conference, Technical Digest</u> , 9-12 July 2000, pp. 7-9 |
| | BO | Cost-effective depolarized diode pump unit designed for C-band flat-gain Raman amplifier to control EDFA gain profile, Yoshihiro Emori et al, <u>Optical Society of America Conference</u> , March 5-10, 2000, pp. 106-108 |
| | BQ | Lewis et al, <u>Electronics Letters</u> , Vol. 35, No. 20, September 30, 1999, pp. 1761-1762 (one page abstract only). |
| MAU | BR | Yoshihiro Emori et al, State of the art in diode pumped Raman amplifiers, OAA 2001, 3 pages |

| | | | |
|----------|--------------|-----------------|----------|
| Examiner | Mark Hellner | Date Considered | 6/8/2005 |
|----------|--------------|-----------------|----------|

*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

OFFICE
JAN 15 2004
REGISTERED TRADEMARK OFFICE

| | | | | | | | |
|--|----|---|--|--|--|--------------------------|--|
| Form PTO 1449 (Modified) | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO. 238546US80 | | SERIAL NO. 10/645,528 | |
| LIST OF REFERENCES CITED BY APPLICANT | | | | APPLICANT Shunichi MATSUSHITA, et al. | | | |
| | | | | FILING DATE August 22, 2003 | | GROUP | |
| OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.) | | | | | | | |
| 9790 | BS | Anders Bertson et al, Polarisation dependence and gain tilt of Raman amplifiers for WDM systems, <u>Optical Society of America</u> , 2000, 3 pages | | | | | |
| | BT | Jianping Zhang et al., Dependence of Raman Polarization Dependent Gain on Pump Degree of Polarization at High Gain Levels, <u>Optical Society of America</u> , OCC 2000, 3 pages | | | | | |
| | BU | N. Edagawa et al, SIMULTANEOUS AMPLIFICATION OF WAVELENGTH-DIVISION-MULTIPLEXED SIGNALS BY A HIGHLY EFFICIENT FIBRE RAMAN AMPLIFIER PUMPED BY HIGH-POWER SEMICONDUCTOR LASERS, <u>Electronics Letters</u> , February 26, 1987, Vol. 23, No. 5, pps. 196-197, (with one page abstract) | | | | | |
| | BV | H. Masuda et al., Ultra-wideband hybrid amplifier comprising distributed Raman amplifier and erbium-doped fibre amplifier, <u>Electronics Letters</u> , June 25, 1998, Vol. 34, No. 13, pps. 1342-1344 | | | | | |
| | BW | Hiroji Masuda et al, 75 nm 3-dB Gain-band Optical Amplification with Erbium-doped Fluoride Fibre Amplifiers and Distributed Raman Amplifiers in 9 x 25-Gb/s WDM Transmission Experiment, <u>ECOC 97</u> , Conference Publication No. 448, September 22-25, 1997, pp. 73-76 plus one page Abstract | | | | | |
| | BX | K. Aida et al., Design and performance of a long-span IM/DD optical transmission system using remotely pumped optical amplifiers, <u>IEEE Proceedings</u> , Vol. 137, Pt.J, No. 4, August 1990, pp. 225-229, plus one page Abstract | | | | | |
| | BY | Govind P. Agrawal, Nonlinear Fiber Optics, Second Edition, <u>Academic Press</u> , 1995, pp. 328-334 | | | | | |
| | BZ | K. I. Suzuki et al, Bidirectional 10-channel 2.5 Gbit/s WDM transmission over 250 km using 76 nm (1531-1607 nm) gain-band bidirectional erbium-doped fiber amplifiers, <u>Electronics letters</u> , August 15, 1997 | | | | | |
| | CA | Ryuichi Sugizaki et al, Polarization insensitive broadband transparent DCF module with faraday rotator mirror, Raman-amplified by single polarization diode-laser pumping, <u>Communicat, OFC/OOC '99</u> , Technical Digest, Vol. 1, February 21-26, 1999, pp. 279-281 (with on page abstract) | | | | | |
| | CB | Pending U.S. Patent Application No. 09/886,211 filed June 22, 2001. | | | | | |
| | CC | Pending U.S. Patent Application No. 09/886,212, filed June 22, 2001. | | | | | |
| | CD | Pending U.S. Patent Application No. 09/944,601 filed September 4, 2001. | | | | | |
| | CE | Wang, L.J. et al, "Analysis of Polarization-Dependent Gain in Fiber Amplifiers", <u>IEEE J of Quantum Elect.</u> , Vol. 34, No. 3, March 1998, pp. 413-418 | | | | | |
| | CF | Takesue, H. et al, "Stabilization of Pulsed Lightwave Circulating Around an Amplified Fiber-Optic Ring Incorporating a LOYT Depolarizer", <u>IEEE Photonic Tech. Lett.</u> , December, 1998, pp. 1748-1750 | | | | | |
| | CG | Bruyere, F. et al. "Demonstration of an Optimal Polarization Scrambler for Long-Haul Optical Amplifier Systems", <u>IEEE Photonics Tech Lett.</u> (this reference was provided in a PTO Form 892 from the Examiner, no date was provided) | | | | | |
| | CH | Bennett, J.M. "Physical Optics", <u>The Handbook of Optics</u> , McGraw-Hill, 1995, pp. 5.22-5.25 | | | | | |
| 9790 | CI | N. Edagawa et al, Amplification Characteristics of Fiber Raman Amplifiers, <u>Institute of Electronics, Information and Communication Engineers</u> , Vol. 88, No. 87, 1998 (OQE-33) pp 61-68 (including one page English translation of the Summary) | | | | | |
| Examiner | | | | Mark Heller | | Date Considered 6/8/2005 | |
| *Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

Form PTO 1449
(Modified)U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY DOCKET NO.
238546US8CIPSERIAL NO.
10/645,528

LIST OF REFERENCES CITED BY APPLICANT

APPLICANT

Shunichi MATSUSHITA, et al.

FILING DATE

August 22, 2003

GROUP

3663

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB CLASS | FILING DATE IF APPROPRIATE |
|---------------------|----|--------------------|----------|-----------|-------|--------------|-------------------------------|
| MAU | CJ | 5,481,391 | 1-96 | Giles | — | — | |
| | CK | 5,729,372 | 3-98 | Terahara | — | — | |
| | CL | 5,539,566 | 7-96 | Terahara | — | — | |
| | CM | 5,309,535 | 5-94 | Bergano | — | — | |
| | CN | 5,491,576 | 2-96 | Bergano | — | — | |
| | CO | 4,900,917 | 2-90 | Dixon | — | — | |
| | CP | 5,111,322 | 5-92 | Bergano | — | — | |
| | CQ | 4,941,738 | 7-90 | Olsson | — | — | |
| | CR | 5,345,331 | 9-94 | Bergano | — | — | |
| | CS | 5,600,482 | 2-97 | Watanabe | — | — | |
| | CT | 5,692,082 | 11-25-97 | Fukushima | — | — | |
| | CU | 6,342,965 | 11/29/02 | Kinoshita | — | — | |
| | CV | 6,151,160 | 11-2000 | Ma et al | — | — | |
| MAU | CW | 5,793,512 | 8-98 | Ryu | — | — | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | TRANSLATION | |
|--|----|--------------------|------|---------|-------------|----|
| | | | | | YES | NO |
| | CX | | | | | |
| | CY | | | | | |
| | CZ | | | | | |
| | DA | | | | | |
| | DB | | | | | |
| | DC | | | | | |
| | DD | | | | | |
| | DE | | | | | |

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)

| | | | | | | |
|-----|----|--|--|--|--|--|
| MAU | DF | Kim, I.S. et al, "Coherence Collapsed 1.3-M Multimode Laser Diode for the Fiber-Optic Gyroscope" (April 1995) Optics Letters Optical Society of Am Washington, Vol 20, No. 7, pp 731-733 | | | | |
| MAU | DG | Wang, J.S. et al, Reduction of the Degree of Polarization of a Laser Diode with a Fiber Lyot Depolarizer", (November 1999) IEEE Photonics Technology Letters Vol. 11, pp 1449-1451 | | | | |
| | DH | | | | | |
| | DI | | | | <input type="checkbox"/> Additional References sheet(s) attached | |

Examiner

Mark Heller

Date Considered

6/8/2005

*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.